Sesameseed natural Art.nr: 1054 Version: 01-01-2023

Supplier Office / Production / Warehouse site

Company name:	H. Ch. Schobbers bv (Puratos Schobbers)
City:	Venlo
Visiting address:	Vasco da Gamaweg 8
Postal code:	5928 LD
City:	Venlo
County:	The Netherlands
Phone:	+31 77 3969120
EAN company nr:	871805346
Organic/SKAL company nr:	014816
Sedex company nr:	ZC1007289
E-mail:	info@schobbers.nl
Website:	http://www.schobbers.nl

Yes

Yes

Schobbers quality systems

Certified BRC: Certified Organic:

Product description

Article name:	Sesameseed natural
Botanical name:	sesam indycum
Product description:	100% agricultural product of nature
EU classification system:	Oilseeds/ Sesame seeds natural
TARIC Code / Statistical nr:	12074090
Articlenumber:	1054
Function - Intended use:	topping and condiment for bakery, pastry, muesli and cereals industries
Preparation:	must be heated (>70C for min. 120 seconds) as

ingredient or before direct consumption

Processing and/or reselling for purposes other than 'intended use' and/or discarding preparation instructions excludes the responsibility and liability of Schobbers.

Product features

HL weight:	app. 600 gram per liter
Shape:	oval / flat
Cultivation:	Conventional
Aromatic parts:	YES natural NO nature identical NO synthetic
Odor:	product specific / neutral
Taste:	product specific / nutty
Structure:	firm
Being a product of nature, features	s may vary per lot.

Physical features

Purity:	>99,95%
Impurity:	<0,05%
Vermin/insects:	absent
Moisture:	<6%
Burnt seeds:	n.a.
Un-hulled seeds:	n.a.
Broken seeds:	n.a.
Hygroscopic:	no

Being a product of nature, features may vary per lot. Despite multiple control and careful cleaning in origin, impurities cannot entirely be ruled out. (see 'Processing')



Suitable for diets

Kosher:	Yes, and certified
Halal:	Yes
Vegetarians:	Yes
OVO LACTO Vegans:	Yes
Vegans:	Yes
Organic:	No

We confirm the absence of animal ingredients and/or (added) alcohol in all production stages this product. (ingredients/processing aids/growth media of raw materials)

Avg. nutritional values		UNIT p 100 gr
Energy KJ:	2431	KJ
Energy kcal:	588	Kcal
Fat (Total):	49,7	g
- part Saturated fat:	7	g
- part Mono unsaturated fat:	18,8	g
- part Poly unsaturated fat:	21,8	g
Carbohydrates (Total):	11,6	g
- of which sugars:	0,3	g
Fibers:	11,8	g
Protein:	17,7	g
Salt:	0,03	g

For information only, these values originate from literary sources. Being a product of nature, the nutritional values may vary per lot. Empty data is data not (yet) available.

Chemical features

Raw materials are guarantheed food grade in conformity with the applicable legislation on:

- Pesticide residue (EC regulation 396/2005 as amended)

- Mycotoxins (EC regulation 1881/2006 as amended)

- Heavy metals (EC regulation 1881/2006 as amended)

- Inherent plant toxins (EC regulation 1881/2006 as amended) Puratos Schobbers monitors the contaminents in the raw material by using a sampling plan based upon risk analysis.

Microbiological features	NORM	UNIT
Aerobic Plate Count:	1.000.000	cfu/g
Entrobacteriaceae:	100.000	cfu/g
E.Coli:	100	cfu/g
Moulds:	5.000	cfu/g
Yeasts:	5.000	cfu/g
Salmonella:	absent in 25 g	
Bacillus cereus:	1.000	cfu/g
Coliforms:	10.000	cfu/g
The second set is a structure of second	a animum billion a shale. The	

The product has not undergone a micro-killing step. The values above are an indication and not a maximum value.

Sesameseed natural

Art.nr: 1054 Version: 01-01-2023



Art.nr: Component no	ime:		Percentage:	Colour:	Possible origin(s):
					rossible origin(s).
1054 Sesameseed n	atural		100,00%	beige - yellow/white	Argentina
					Bolivia
					Brazil
					Ethiopia
					Guatemala
					India
					Nigeria
					Paraguay
					Sudan Uganda
					Tanzania
					Burkina Faso
					Venezuela
			100,00%		
Packing					
Direct Packing Unit		Pallet type 1		Pallet type 2	
Туре:	Bag	Pallet type 1:	Euro-exchange-pallet	Pallet type 2:	H1-exchange-pallet
Material:	Paper/PE	Material:	Wood	Material:	Plastic
Color:	Colored	Size:	120 x 80 x app. 14 cm	Size:	120 x 80 x app. 14 cm
Weight:	25,00	# Layers:	10	# Layers:	10
EAN Code:	871805346004	Unit p Layer:	3	Unit p Layer:	3
Closing:	Yarn/Seal	Unit p Pallet:	30	Unit p Pallet:	30
Light protected:	Yes	Pallet wrapping:	LDPE Stretch foil 23 MY	Pallet wrapping:	LDPE Stretch foil 23 MY
Closing material:	Cotton-Nylon/Seal	Pallet top cover:	LDPE Foil (Dustproof)	Pallet top cover:	LDPE Foil (Dustproof)
Modified Atmosphere:	Optional	Pallet bottom cover:	LDPE Foil / Paper sheet	Pallet bottom cover:	LDPE Foil / Paper sheet
		Pallet stackable:	Yes, max. 1 on 1	Pallet stackable:	Yes, max. 1 on 1
Direct Packing Unit		Pallet type 1		Pallet type 2	
Туре:	Bag	Pallet type 1:	Euro-exchange-pallet	Pallet type 2:	H1-exchange-pallet
Material:	Paper/PE	Material:	Wood	Material:	Plastic
Color:	Colored	Size:	120 x 80 x app. 14 cm	Size:	120 x 80 x app. 14 cm
Weight:	22,68	# Layers:	10	# Layers:	10
•	871805346001	Unit p Layer:	3	Unit p Layer:	3
Closing:	Yarn/Seal	Unit p Pallet:	30	Unit p Pallet:	30
Light protected:	Yes	Pallet wrapping:	LDPE Stretch foil 23 MY	Pallet wrapping:	LDPE Stretch foil 23 MY
Closing material:	Cotton-Nylon/Seal	Pallet top cover:	LDPE Foil (Dustproof)	Pallet top cover:	LDPE Foil (Dustproof)
Modified Atmosphere:	,	•	LDPE Foil / Paper sheet		LDPE Foil / Paper sheet
	epiionai	Pallet stackable:	Yes, max. 1 on 1	Pallet stackable:	Yes, max. 1 on 1
Direct Packing Unit		Pallet type 1		Pallet type 2	
Туре:	Вад	Pallet type 1:	Euro-exchange-pallet	Pallet type 2:	H1-exchange-pallet
Material:	Paper/PE	Material:	Wood	Material:	Plastic
Color:	Colored	Size:	120 x 80 x app. 14 cm	Size:	120 x 80 x app. 14 cm
Weight:	20,00	# Layers:	10	# Layers:	10
-	871805346005	Unit p Layer:	3	Unit p Layer:	3
		Unit p Pallet:	30	Unit p Pallet:	30
Closing:	Yarn/Seal				
Light protected:	Yes	Pallet wrapping:	LDPE Stretch foil 23 MY	Pallet wrapping:	LDPE Stretch foil 23 MY
•	Cotton-Nylon/Seal	Pallet top cover:	LDPE Foil (Dustproof)	Pallet top cover:	LDPE Foil (Dustproof)
Modified Atmosphere:			LDPE Foil / Paper sheet		LDPE Foil / Paper sheet

Sesameseed natural

Art.nr: 1054 Version: 01-01-2023



Direct Packing Unit		Pallet type 1		Pallet type 2	
Туре:	Bag	Pallet type 1:	Block-pallet	Pallet type 2:	Euro-exchange-pallet
Material:	Paper/PE	Material:	Wood	Material:	Plastic/Wood
Color:	White	Size:	120 x 100 x app. 14 cm	Size:	120 x 100 x app. 14 cm
Weight:	5,00	# Layers:	15	# Layers:	10
EAN Code:	871805346003	Unit p Layer:	7	Unit p Layer:	10
Closing:	Yarn/Seal	Unit p Pallet:	105	Unit p Pallet:	100
Light protected:	Yes	Pallet wrapping:	LDPE Stretch foil 23 MY	Pallet wrapping:	LDPE Stretch foil 23 MY
Closing material:	Seal	Pallet top cover:	LDPE Foil (Dustproof)	Pallet top cover:	LDPE Foil (Dustproof)
Modified Atmosphere:	Optional	Pallet bottom cover:	LDPE Foil / Paper sheet	Pallet bottom cover:	LDPE Foil / Paper sheet
		Pallet stackable:	Yes, max. 1 on 1	Pallet stackable:	Yes, max. 1 on 1
Direct Packing Unit		Pallet type 1		Pallet type 2	
Туре:	Bigbag / FIBC	Pallet type 1:	Euro-exchange-pallet	Pallet type 2:	H1-exchange-pallet
Material:	PE	Material:	Wood	Material:	Plastic
Color:	White	Size:	120 x 80 x app. 14 cm	Size:	120 x 80 x app. 14 cm
Weight:	KG in Bigbag	# Layers:	1	# Layers:	1
EAN Code:	871805346002	Unit p Layer:	1	Unit p Layer:	1
Closing:	Card	Unit p Pallet:	1	Unit p Pallet:	1
	Cord	unin prunei.	I	orin pronor.	1
Light protected:	Yes	Pallet wrapping:	LDPE Stretch foil 23 MY	Pallet wrapping:	LDPE Stretch foil 23 MY
Light protected: Closing material:			' LDPE Stretch foil 23 MY LDPE Foil (Dustproof)		LDPE Stretch foil 23 MY LDPE Foil (Dustproof)
•	Yes Cotton-Nylon/Seal	Pallet wrapping:	LDPE Foil (Dustproof)	Pallet wrapping: Pallet top cover:	LDPE Foil (Dustproof)
Closing material:	Yes Cotton-Nylon/Seal	Pallet wrapping: Pallet top cover:	LDPE Foil (Dustproof)	Pallet wrapping: Pallet top cover:	LDPE Foil (Dustproof)

Processing:

Pre cleaning Fine cleaning / sieves Wind cleaning / aspiration Gravity cleaning Magnet cleaning Sortex A Optical Sorting Control sieving X ray sorting - CCP Control magnets Metal detection - CCP Automatic packing Marking / Labelling Automatic palletizing Automatic foil wrapping Depending on product quality, processteps may be different from the above mentioned procestlow.

Sesameseed natural

Art.nr: 1054 Version: 01-01-2023



Allergens features	Р	L	w	
01.0 Gluten	-	+	+	
01.1 Wheat	-	+	+	
01.2 Rye	-	+	+	
01.3 Barley	-	+	+	
01.4 Oat	-	+	+	
01.5 Spelt	-	+	+	
01.6 Kamut	-	-	-	
02.0 Crustaceans	-	-	-	
03.0 Egg	-	-	-	
04.0 Fish	-	-	-	
05.0 Peanuts	-	-	-	
06.0 Soy	-	-	+	
07.0 Cow milk protein	-	-	-	
08.0 Nuts	-	-	-	
08.1 Almonds	-	-	-	
08.2 Hazelnuts	-	-	-	
08.3. Walnuts	-	-	-	
08.5 Pecannuts	-	-	-	
08.6 Brasilnuts	-	-	-	
08.7 Pistachionuts	-	-	-	
08.8 Macadamianuts	-	-	-	
09.0 Celery	-	-	-	
10.0 Mustard	-	-	-	
11.0 Sesame seeds	+	+	+	
12.0 Sulphur dioyde / sulphit	-	-	-	
13.0 Lupines	-	-	-	
14.0 Molluscs	-	-	-	
+ = present (yes) - = absent (no)				

P = in product - direct presence in ingredient / recipe

L = in product line - possible presence on production

line. Possible cross contamination - traces

W = in Schobbers warehouse - possible presence on site in closed packaging. Cross contamination excluded

Other types of seeds and/or kernels have possible presence on production line and/or on site

Memo

+	Suppliers name:	Schobbers Venlo Holland (reproduction optional)
+	Weight unit:	kg's indication (e.g. 25 kg of 22,68 kg)
-	Storage condition:	textual indication
-		
-	Storage conditions ar	nd Expiry
-	Shelf life:	12 months in original packing, provided goods are stored under conditions described.
-	Shelf life at delivery:	min. 2/3 in time of total shelf life
+	Storage condition:	store dry, cool and dark
-	Storage temperatur	min. 4 °C and max. 15 °C
-	Storage humidity:	max. 60%
-	Storage others:	opening of the original packing has no effects on the shelf-life provided correct stora
-		num temperature and/or humidity is harmful to the product. It can result in buildup of fungus, larvae cludes the responsibility and liability of the supplier. Deliveries are carried out in accordance the
-		TOUT, this may result in the EXP date being non-chronologic
-	Transport conditions	
-	Transport conditions:	dry and clean transport
-	Chilled / Non chilled:	non chilled
-		
-	Material Safety Data	Sheet
-	Risk of fire:	Prevent electric discharge

batch nr / lot nr Schobbers/Supplier (reproduction mandatory)

expiry date in (day/)month/year notation (e.g. 01/01/2020) (reproduction mandatory)

inkjet and/or label

A5 or A4 label

Material Safety Data Sheet		
Risk of fire:	Prevent electric discharge	
Stability:	Stable product by regular stocking conditions	
Toxicity:	Non-toxic. Could contains allergens dependable on the additives	
Safety precautions:	Product can be processed without safety precautions provided dust minimization	
Eye contact:	Rinsing with water	
Inhalation of dust:	Prevent furthermore inhalation. When serious complaints occur, contact a doctor	

Skin contact: No risks. If necessary, rinse with water. Swallowing: No risks

Legislation

Marking / Coding

Packing marking: Pallet marking:

LOT:

EXP:

This product is in compliance with the European and Dutch legislation. It is the responsibility of the customer to investigate whether or not the product complies with the regulations in the country where the product will be imported and sold.

Declaration of conformity for packaging material

All direct packaging material complies acc. Reg. EC No 1935/2004, EC No 10/2011 and EC No 2023/2006 of the European parliament and council (relating to materials and articles intended for direct food contact).

Irradiation, radiological and nanotechnology statement

The product has not been treated by irradiation and is free from radiological risks and engineered nanomaterials.

GMO statement

We certify, to be true and correct to the best of our knowledge, that the product(s)mentioned in this specification has/have NOT been genetically modified as described in (EG) Nr.: 1829/2003 and (EG) Nr.: 1830/2003. *

*GMO which cannot be detected on date of delivery and that is detected after date of delivery due to new methods of analysis is excluded from Schobbers liability

Intended use

Application of the product other than the intended use may require additional research and / or analysis to meet the standards of the other application (e.g. feed application / e.g. oil application etc.) Additional research and / or analysis are in that case the responsibility of the buyer.

This document replaces all previous versions of same/similar document(s). Validity ends on replacement by a new version or finally three years from document date. Document is subject to change without notice.

Changes to the document and distribution to third parties is not allowed without the approval of Puratos Schobbers. © Copyright Disclaimer - http://www.schobbers.nl/disclaimer.